

Protocol Header			
8	16	24	32
Version	Opcode	Checksum	
Flags			
Sequence Number			
Acknowledgment Number			
Autonomous System Number			
Type		Length	
Value			

Metric Formula
$256 * (K_1 * \mathbf{bw} + \frac{K_2 * \mathbf{bw}}{256 - \mathbf{load}} + K_3 * \mathbf{delay}) * \frac{K_5}{\mathbf{rel} + K_4}$
<ul style="list-style-type: none"> \mathbf{bw} = 10^7 / minimum path bandwidth in kbps \mathbf{delay} = interface delay in μsecs / 10

EIGRP Configuration

Protocol Configuration

```
! Enable EIGRP
router eigrp <ASN>

! Add networks to advertise
network <IP address> <wildcard mask>

! Configure K values to manipulate metric formula
metric weights 0 <k1> <k2> <k3> <k4> <k5>

! Disable automatic route summarization
no auto-summary

! Designate passive interfaces
passive-interface (<interface> | default)

! Enable stub routing
eigrp stub [receive-only | connected | static | summary]

! Statically identify neighboring routers
neighbor <IP address> <interface>
```

Interface Configuration

```
! Set maximum bandwidth EIGRP can consume
ip bandwidth-percent eigrp <AS> <percentage>

! Configure manual summarization of outbound routes
ip summary-address eigrp <AS> <IP address> <mask> [<AD>]

! Enable MD5 authentication
ip authentication mode eigrp <AS> md5
ip authentication key-chain eigrp <AS> <key-chain>

! Configure hello and hold timers
ip hello-interval eigrp <AS> <seconds>
ip hold-time eigrp <AS> <seconds>

! Disable split horizon for EIGRP
no ip split-horizon eigrp <AS>
```

Attributes

Type	Distance Vector
Algorithm	DUAL
Internal AD	90
External AD	170
Summary AD	5
Standard	Cisco proprietary
Protocols	IP, IPX, Appletalk
Transport	IP/88
Authentication	MD5
Multicast IP	224.0.0.10
Hello Timers	5/60
Hold Timers	15/180

K Defaults	Packet Types
K₁ 1	1 Update
K₂ 0	3 Query
K₃ 1	4 Reply
K₄ 0	5 Hello
K₅ 0	8 Acknowledge

Terminology

Reported Distance

The metric for a route advertised by a neighbor

Feasible Distance

The distance advertised by a neighbor plus the cost to get to that neighbor

Stuck In Active (SIA)

The condition when a route becomes unreachable and not all queries for it are answered; adjacencies with unresponsive neighbors are reset

Passive Interface

An interface which does not participate in EIGRP but whose network is advertised

Stub Router

A router which advertises only a subset of routes, and is omitted from the route query process

Troubleshooting

```
show ip eigrp interfaces
show ip eigrp neighbors
show ip eigrp topology
show ip eigrp traffic
clear ip eigrp neighbors
debug ip eigrp [packet | neighbors]
```